



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 4 N

R 1 W

T. A. R. M.

+

Recorded

R1M94N

North

Between S

35-836

4000

Set from under
hooking which

a Bush 48-118

28 Logwood 7 Dr

118 19 lbs

7505

Moak 20 Indian

8000

Set host corner

of S 100 2526

35-836 from

which Moak

12 1134 21 lbs

89 Dr, 188 23 lbs

Land flat Linn

Oak & Bush

2)

No 1 M I A W.

East

Between den 368

25 on Random

4000

Set him hay for
in post

80,40

Intersecting
Slime South of
in corner and
the same

West

Between den 25836
on true line

4020

Set temporary post
at average dis-
tance on true
line for gas

corner from

a Mock 12834

W 23 lbs 50.50

Sp 28 20 lbs

80,40

In corner

North

4000

2000

Between den 25

826 I 40 1/2 1/2

Set hay mile

post from

which a M

Oak, 10 dis 5

Bears 22 1/2 3/4

Set post line

of den 25, 24, 233

26 from which

Mock 160 1/2 3/4

27 1/2 20 1/2 1/2

22 lbs

Soil thin and

very brushy

and the brush

bound by vines
& Vines

4)

B 1 M 94 or

East Between 24 &
25 on Random

4000 Set temporary post

80,10 Intersected by
line 10 lbs north
of the center line
very brushy in placesWest Between 24 &
25 on true line4006 Set temporary post
at average distance
on true line forfrom center from
where a Moak 18
East 45 lbs 80 13 or

L 1 M 32 lbs

80,10 In center

North

4000

8000

B 1 M 94 or

Between 23
& 24

Set temporary post from which

a Moak 6 & 23 &

27 B. Oak 7 & 34 M

40 links—

Set post corner

of 13, 14 23 & 24

from where M

Oak 24 2 or 25 15

20 lbs 80 & 83 &

12 lbs said the

same

6

KPM JAV

East. Between 248

13. In Randam

4000 Set timbering post

6250 Brook 12th Nov 8

7980 Inland 12th Nov 8

7980 Inland 20th Nov 8
of the Corn Land
The sameWest. Between 13824 on
the line3990 Set timbering post
at average distance
on the line for 1/2
in Corn Land

which is 20

Inland 12th Nov 8

207 12th Nov 8

7980 Section Corn Land

KPM JAV

North Between 13814

13814

4000 Set timbering post

12th Nov 8

which is 20
Inland 12th Nov 8

207 12th Nov 8

5240
8000Set timbering post
at 14.23 1/2from which
Inland 12th Nov 8

980 10876

24th Nov 8

Line by the

Line by the

Line by the

East

40,00

79,94

R 1 M 54 W

Between S 12

813 on Rand

Set lamp post

1/4 in post

Intersected with

line 56 the north

of S 6 corner

the same

West

39,97

Between S 12

813 on line

line

Set lamp post to

average distance on

line for

corner from which a

log wood post

M 10 M Oak

79,94

79,94

79,94

North

13,25

40,00

72,14

R 1 M 54 W

Between S 12

12

M Oak 20 in

Set lamp post

North from which

a B. Oak 12 339

Set M Oak 6 in

10 & 13 the

the same

the same

the same

the same

the same

the same

the same

the same

the same

the same

the same

the same

the same

the same

East

40,00

79,94

R 1 M 54 M

Between S. 12

813 on Rand

Set from pony

1/4 on host

Intersected with

line 56 the north

of the corner line

the same

West

39,97

Between S. 12

813 on line

line

Set from pony port to

average distance on

line for you

corner from which a

Log wood set by

M 10 M 10

79,94

72,48 14

In corner

North

13,25

40,00

72,14

R 1 M 54 M

Between S. 118

12

North 20 hrs

Set from mine

North from which

a B. Oak 12 339

Set from 6 10

10 & 13 1/2

10 & 13 1/2

Set a Sugar 8 hrs

corner on the

River bank

the same

21 May 1880

North Butte 35834

1,000

Set half mile
West from where
a Dogwood
86224 Moak
88268 33 hicks

80,000

Set post corner
of sec 34, 33-263
27 from which a
Moak 40884 M30
Hickory 20 & 443
19 lbs. Hard Hilly
Succ. Oak & Hick
very
brushy

11) B1M 9408

East Between in in 26
\$35 on Random
40,00 Set temporary from
post

80,00 Intersent to 98
line South of an
barn and the
same

West Between 26335 on
true line

40,00 Set temporary post
at average dis-
tance on true line

for barn corner from
whisker Hickory

26 88 88 Wood
20 87 2 11 2 6ths

8,000 In corner

North
40,00

80,00

B1M 9408 12

Between in 26823

Set post for
in corner from

whisker oak

48 In D. Beans

East 59ths

Set post corner

from 23 22 26 52

from whisker

wood 88 85 88

oak 10 82 11 29

this

Land roller

corner oak

8 Hickory

B1M5458

East

Between 26923
on Random

4000

Set him pay
from post

2000

Inter. D. S. 12
12 hrs south ofS. C. and
the same

West

Between 23826
on transition

4000

Set him pay post
at average distance
or transition for
him fromwhich has been 844
6 11 20, 20, 246 17 15

2000

B1M5458

North

Between 23822

4000

B. Oak 18 1/2

4000

Set him mile
post from which

a Mock 18 1/2

3 B. the Dogwood

7 1/2 7 1/2 3 1/2

8000

Set post from
of 22, 23, 14 1/2 15

from which a

Maple 20 1/2 5 1/2 8

Hickory 18 1/2 2 1/2

3 1/2

Land the same

(5)

B 1 M 94 0 2

East

Between in 23 3 14
on Random

40/100

Set from heavy post

80/20

In line with
Shin 17 lbs South
of corner land
the same

West

Between in 14 8 23
on true line

40/10

Set from heavy post
at averaged distance
on true line for 1/4
in corner from
where a gun 10'
or 20 M 15 lbs M
Oak 12 or 3 7 8
links

80/20

in corner

B 1 M 94 0 2

North

Between 14 8 15

40/100

Set heavy mile
post from where
a gun 17 8

31 2 9 lbs 1/2

12 5 1 9 11 16

80/100

Set post corner
of in 14 15 10 8 14from where a post
plan 12 Post 21

20 2 4 5 6 25

Land the same

(17)

R 1 M 94 v

East

3,75

Between 14891
Brook 10th or
on Randam

40,00

Set ten hay
post

43,75

~~Brook 10th or~~

80,00

Intersected
line 18th north
of the corner land
the same

West

Between 14891 on
true line

40,00

Set ten hay post
at average dis-
tance from true linefor true corner
from where

Logwood 28 20 M

3th Hickory 10 yr

20 & 3 links

8,000

Intersected

R 1 M 94 v

North

9 20

Between 10891

Brook 10th or

21,75

Brook 5th M

40,00

Set hay mile
post from white

a Red bird 7 1/2

36 M. D. 10

373 M 20th

80,00

Set post corner

of 1011 28.3

from where

Beck 9 M 842

43 20 20 84 M

36 land the

Robert

Sim. Hickory

Oak & Poplar

4)

East.

27, 50
40, 00

B 1 M 1400

Between 1182
Bank 10 in
Set hay mill
port from
where a log was
6 N 32 E 20 deg
10 S 29 E 11 lbs

73, 72

Set post on
the river from
where a log
10 S 29 E 9 wood
11 N 28 W 10 M
Land the same

O 1 M 1400 2c

North

16, 45

40, 00

47, 00

Between 283

Bank 10 in 1000

Set hay mill

port from where

a Maple 982 M

21 lbs. Log

3 N 48 W 11 lbs

Set post on the

river bank

from where a

Bank 10 S 29 E

7 lbs. D. 20 S 21 W

32 lbs. Log

Rich & Robert

Tim. H. H. H.

as a Sugar

21) North Between Sns
33834 94 or 101m

40,000 Set hay mile
post from where
a Sagewood

410844 lbs pop
Living in Decors.
Bears 167x34.

80,000 Set post corners

of Sns 27, 28. 33434

from where M
Oak 15 3268 25 lbs

Hickory 10 or 41m
15 lbs Sand Kelly
& brushy Sns.

Oak Hickory

East Between Sns 27834

40,000 Set temporary
post

80,050 Intersected or 45
line at Sns corner
Land the same

West Between 27834

4002x Set temporary
post at average
distance for Sns
corner from

wherea Bench
12810m 12 B. Oak
15 3268 20 lbs

80,050 Sns corner

(23)

B.M. 94082

North

Between 27328

40,00

Lithology and
post from
a block 12517m
25th Elm 1000
26 & 17th

56,95

Meet 10th, Decm

80,00

Set post corner
after 27, 28 228
21 from which
Logwood 10048
62th Gum
836m 16th
Land the same

East

Between 273

40,00

22 on Random

Set temporary post

80,10

Intersection of
line 2th north
after corner land
the same

West

Between 27322

40,05

on machine
Set temporary post
at average dis-
tance for new
corner from
which 12
8989th 20 12827
643th
in corner

80,10

(24)

B.M. 94082

(15)

B M 940

North Between 21422

40,000 Set half mile
post from where
a boxwood is

21236 Poplar

9816 M 34th

30000 Set post corner

of line 21,22 15416

from where the bench

12 x 22 11th 2024

35422 16th

Same the same

East

40,000

80,000

B M 940

Between 22815

on Random

Set temporary

post

Intersection

Line 12th South

of the corner

Same the same

West

40,000

Between 215

822 on true line

Set temporary post

at average dis

tance on true

line for year

corner from

where the bench

12 x 18 M 20

Say 20 x 22

80,000

17th

Corner

27)

R 1M 5408

North Between 15840

~~4000~~ Set half mile
 post from wh
 a Moak 10 1/2 11 1/2
 Dogwood 8 1/2

B. 9 link

4300 Moak 8 1/2 10 1/2

8000 Set post corner of

15, 16, 17, 18 from wh

a Moak 12 1/2 14 1/2

28 lbs 12, oak 16

or 32 1/2 27 lbs

and the same

East

R 1M 5408 (28)

Between 15840

on Random

40,00 Set lamp post

post

80,00 Set lamp post

line 12 lbs South

old corner land

the same

West Between 15840

on true line

4900 Set lamp post

at average distance

on true line for

just corner from

which a B. Wood cut

10 3 1/2 11 3/2 lbs

Hickory 2 1/2 2 1/2

link

8000 Set corner

29)

R 1 M 1408

North Between in 1049

4000 Sit near mi
port pb...

Whaka M 200

203892 M 21th

Dogwood & 37 1/2 ft

2000. 1st port corner
of a 349310

from where

back 10865

2p Poplar 100

19824th Lane

Hilly Firm Oak

B. Hickory

East

4000

60,00

80,00

East

40,00

8000

30

R 1 M 1408

Between in 3810

on Random
Sit near mi
North

Wood 100

Intersected 103

South of the

Corner Lane 100

Between 3810 on

True line

Sit near pony post

at a small dis-

tance on true

line for 1/2 mi

Corner from

where M. O. 20

N 42 E 9 ft

9357 M 22

Sit Corner

R 1 M 1408

North

Between 1049

4000 Set up on
port plane

where M 300

20 38 92 M 21 hrs

Dogwood & 37 1/2 lbs

80.00. 1. Port corner
of a 349

4 1/2 Poplar 10 M

19 24 1/2 Lane

Hilly, Firs Oak

& Shrub

East

40.00

60.00

80.00

Must

40.00

80.00

R 1 M 1408

Between 3810

on Randome
Set up on 1/2
port

Wood 10 M

Intersecting 37

South of the

corner Lane there

Between 3810 and

True line

Set up on 1/2
at an angle dis-

tance on true

line for 1/2

corner point

where M. O. 20

20 42 29 hrs

9 35 7 M 22

Set corner

317

North
40,00

R M S 400

Between in 394

Set post for man
born from which

a M, at 20

Lis E. can. C. can

South 100 M.

70,000 Mook 20 L. D. B.

79,000 Set post from

of in 346 in the

at 1300, say 22

L. M. 1st L.

from which

Milbury 12526

20. 5000 52

E 14 M. Sand

The same

North

4000

R M S 400 (32)

Between in 82833

Set post from

which

a L. 10843 M

10 links B. Oak

18 L. D. B.

8818 25 M

Set post from

in 29, 28 32 833

from which a

H. 20 5855 E

3 links D. D. 855 M

15 links Sand

very much

L. D. B.

Green briars, etc.

(33)

Bo 11M 140N

East Between 28433

on Road down

4000 Lit lampouy from
port8000 Intersentive
Shine & the Santa
of the corner
Land the sameNorth Between 28333 on
true line4000 Lit lampouy port
at average dis-
tance on true
line for the
corner from
Whaka Dogwood

6882M 38ths

6848 & 12ths

8000 Lit corner

L

North Between

28429

2980

Moak 12th corner

4000

Lit hay mill

port from which
a Dogwood 2833

212ths B. Oak 12

876M 14ths

8000

Lit port corner

open 28 29. 2084

port which

M. Wolmuts

7878 & 29ths

Sugar 7 & 24ths

10ths

Land the
same

B 110 J 408

East

4000

80, 19

Between in 294
28 on Random
Set from house for
the post

Intermittent
Line 12th north
of the corner
Land with same

North

4000

Between in 21328
on true line

Set from house
Post at average
distance on true
line for from
corner from
where a sugar 10
x 34 & 12 the 11
w/line 7 & 8
11/12

North

4000

8000

Between in 205

21 J 408 B 110

Set from main
post from which
a B. Oak 12 M
22 & 12 the Dog
wood 6 or 42 M
28 the

Set post corner
of in 204 - 1 ft from
from which a

B. oak 10
x 38 M 29 the
M oak 4 & 83.22
19 links
and the same

Bell M. H. W.

East

Between Aug 21

1860 on hand

40,000

dit him pay 40

in host

80,116

In host

80,116

South of the

Land the

West

Between Aug

1860 on hand

him

40,000

dit him pay

post at a def

distance on the

line for the

Cairn from

where a dog was

7887 M 32 lbs

738 19 lbs

in

North

Between Aug 21

3347

Mash, 20 lbs

4480

dit him pay

host from

a dog was

7889 M 32 lbs

755 M 24 lbs

dit host

80,000

of the 16.17.28

from where

Mash 18 2638

24 lbs 10 M 59

M 38 lbs

11th 5405

East Between Aug 1887
on Randam

40,00 Set temporary
post

79,90 Intersected with
line 12 the north
of the corner land
the same

West Between Aug 9816
on true line

79,90 Set temporary post
at average dis-
-tance for, from
corner on true
line from which
a pole 22 or 70 ft

12 Bush 70 or 46

79,90 In corner

11th 5405

North Between Aug 849
poplar 30 ft

19,20

19,00

Set hays mill
post from which
a mark 20863
m 17, Dogwood
7842 E 42 -

corner

20,00

Set post corner
of a 29 435
from which a

sugar 12 or 45 ft
17 Bush 18845

m 14 Land
the same

(41)

No 1 M 5400

East

Between 484

on Random

40,00

Set temporary post

80,00

Indisputed NW
line 8 1/2 m South
of S. corner
Land the same

West

Between 489 on
true line

40,00

Set temporary post
at average distance
for true corner
from which 909

width for 898 34

perimeter 5

width 14 1/2 m

80,00

S. corner

(42)

No 1 M 5400

North

Between 485

3440

Mosh 22 m Beam

40,00

Set half mile

post from which

a N Oak 20 m

458 18 1/2 m 20 1/2

S 28 M 30 m

6080

Mosh 30 m

78,90

Set post on the
North boundary13 m West of S
corner from
which a beam

10-15 98 25 20

20-240 m 31 m

(43)

No 1 M 9400

Most

4000

Between an 548

Set hay mile

back from which

or from wood to

873 & 10th Sugar

20355 M 18th

45, 18

B. Oak 12th

From corner

on the River

Land then Sugar

No 1 M 9400 (44)

Most

4000

Between an 31332

Set hay mile port

from which a

Mulberry 12 or 28

816th Sugar 10

89 & 23 links

8000

Set past corner

of an or 29 30 31

832 from which

a B. Oak 20 or

78 M 18 M Oak

8852 & 10 links

Land Kalam 9

brushy Iron

Oak & Hickory

East Between 29
832 54 1/2 PM
4000 Set lamp post
In an hour

80,000 Intersected 29
Shin ^{12th} ~~graph~~
Carrion and the
same

West Between 29 & 32
on true line
4000 Set lamp post
at average dis-
tance on true
line for from
Carrion from
which Hickory
p 2843 & 5 1/2

8000 in line

North Between 29 ⁽⁴⁶⁾
30
4000 Set lamp post

from
which Oak

25 20 23 10 20

12 East 15 1/2

8000 Set post corner
of line 20, 19, 29 & 30

from which

Gum 10 2845 1/2

Oak 10 345 1/2

and Hilley Line

Oak & Hickory

underbrush Dog

wood & Hickory

(47)

B 1 M 5405

East

Between 204

29 on Random

4000

dit from heavy forest
post

80,14

Kilometer 12483

line to the North

after corner last

the corner

North

Between 20429 on

on trunk line

40,07

dit from heavy forest

at average dis

- tance for 1/2 m

corner from

whence Buck B

848 M, 11 hrs 20 12

1/8 23 hrs

20,14

in corner

B 1 M 5405 (48)

North

Between 19820

4000

dit from mile

post from

whence Buck

20 24 23 19 hrs

Dog

6 384 M, 7 hrs

8000

dit post bearing

on 17, 18, 19 & 20

from whence dog

wood 6 380 M, 6 hrs

given 10 324 23 hrs

Land & Rich &

Return

12 PM 14 or

East Between 17 & 20 or
Random
40,000 Set from how far
host
80,10 Intersection
Skin 8 lbs north
of the corner land
the same

West Between 17 & 20
on trunk line
40,06 Set from how far
at a ~~small~~ dis-
tance for how
corner from
Whitaker poplar
28 64 M 26 lbs 209
wood 6 or 74 & 47
lbs
80,10 In corner

12 PM 14 or

North Between 17 & 18
4000 Set hay mile
from
Whitaker Birch
30 or 6 & 19 Do
12 3 or 5 & 33

80,00 Set host corner of the
17, 40, 7, 8 from which
a Birch 10 or 71 & 23
host 10 or 13 M 14 lbs
Lumber Birch & Robin
from Birch bark
the same
Lumber holes

No 1 M 1408

East Between Dec 17 & 80

Random

4000 Set temporary gauge
post80,000 Intersected by
line 10th North
of the corner land
the sameWest Between 88 & 90 on
true line40,000 Set temporary post
at average dis-
tance on true
line for gauge
corner from
whichever side
8 73 & 23 80 12

No 1 M 26

80,000 on corner

No 1 M 1748

North Between Dec 8 & 7

1000 Set gauge mile

post from wharf

Reached W 59 2 11

Do 12 3 25 & 34th

60,500 Set post on the

river bank from
wharf and from

wood 7 82 18 27

Do 8 34 2 24th

Land the same

1911 M 1448

Must Between 20
31830

4000 Set hay mile
post from
whichever Bank

10 N 77 E 25 lbs

Do 12. 311 E 4 lbs

Set post on the
west boundary

20 lbs north of

in corner for

whichever Bank

20 N 58 E 4 lbs

Do 12. 311 E 4 lbs

Large Robin

Find Oak 9

Highway Bank

Must Between 20 1930

4000 Set hay mile

post from which

or Oak 12 N 83

N 12 lbs Bank 10

343 M 28 lbs

34, 67 Set post on the

west boundary

90 lbs north of

corner from

whichever Bank 12

330 E 24 lbs Dog

wood 6869 M 21

links land Robin

Find Bank pop

low Highway 10

B 170 340

West Bismarck 1887
 37,40 Sugar 12 lbs 2 cts
 4000 dit hay mill
 post from where
 a Bush 10 884 118

Queen B S 22 828

knives

84,60 dit nest on the
 West boundary 100
 lbs north of st corn
 from where a ~~nest~~
~~12 870 10 880~~ sugar

~~12 870 10 880~~
 Bush 12 823 6 24 114

Sugar 12 10 850

Land Rich
 Helen

B 170 340 (56)

West Bismarck 1887
 40,000 dit hay mill post
 from where a nest
 24 South 7 lbs 2 cts
 114 114 114

24,12 dit nest on the West
 boundary 110 lbs north

of a corner from where
 a Bush 10 871 10 880

9 5 10 2 14 Land
 Rich, Ferris poplar
 ash Hurley 3

Oak
 underbrush thin

Pol M J 4 M

~~Port Batacan~~

687

2090 B. Oak 20 Lvs

3500 Set post on

the River bank

from which a

Bank 1450889

10 lbs Sugar 20

378 & 29 links

Lands Water

Linn. Sugar &

Bank

under growth

Spice wood

Pol M J 4 M

Bikini 4-192

3500 Break 10th post

4000 Set hay near

port from which

a Hack bus 20

or 9 lbs Elm

15 Set M 21

7050 Bank 20 lbs Sugar

17500 Bank 10 lbs Sugar

corner on the

River bank

Lands Bank 8

low land

Sugar bank with

Thorny etc

R 1 M 9 4 m

South
450
4000Between 645
Spring that sinks
at half mile post
from which a Buck

10 or 14 m 4 or 5 p 0 0

2 by the
pond

7500

2000

in the pond land
very rich & broken
Tern & Mulberry
longer

West

3500

Between 647
West side of the
pond covered with
brush

4000

4080

Set half mile post
B. Oak 20 m.Deer horn
on the River

South

8,50

12,32

R 1 M 9 4 m

Between 648
South side of the
brush pondSet post corner
on the River
from which a

Buck 6 or 21 m 9

Dogwood 6 or 30 0

& links

East

20,00

26,35

Between 845 34 1/2 m
East side of the
pondSet post on the
River bank

from which a

buckeye 12 31 2 11

Oak 10 or 11 m 11

links


South Butte census 233

94 B. 10

22,30

Set post on
the river bank

Meanders of the Right Bank
of White River in
T4N R1W.



Comp. with the original.

Meanders of the East Fork of White
River, from a post in N. boundary of
Sec 6, T4. N. R1W. up stream right bank

S49 E	3.00	in Sec. 6, T4. N. R1W
S31 E	12.50	
S28 E	11.50	
S31 E	6.00	
S35 E	18.50	
S28 E	16.00	
S21 E	8.00	
S39 E	4.50	
S32 E	7.50	line between Sec. 6 & 7

S61 E	16.00	in Sec. 7, T4. N. R1W
S73 E	8.00	
S82 E	16.00	
East	4.05	line betw. Sec. 7 & 8

T4 N R1 W
Meanders of Right bank Continued

N83 E	13.00	in Sec. 8, T4 N. R1 W
N60 E	9.50	
N54 E	8.67	line between Sec. 5 & 8

N37 E	10.00	in Sec. 5, T4 N. R1 W
N21 E	10.50	
N11 E	13.00	
N18 E	17.00	
N16 E	6.00	
N11 E	19.50	
N11 W	8.32	to post in N. boundary of T4 N. R1 W

From post in N. boundary		
S26 E	8.00	in Sec. 3, T4 N. R1 W
S32 E	15.50	
S48 E	9.50	

T4 N R1 W
Meanders of Right bank Continued

S76 E	6.50	
N79 E	9.00	
N70 E	7.00	
N77 E	3.60	line between Sec. 2 & 3

N72 E	7.50	in Sec. 2, T4 N. R1 W
N80 E	6.50	
N77 E	11.00	
N83 E	10.50	
S89 E	4.00	
S80 E	6.00	
S72 E	9.50	
S47 E	6.00	
S29 E	6.00	
S22 E	14.50	at Brook 25th wide
S22 E	14.30	

Left N. R. 1 W

Meandering Right bank Continued

S29 E 18.90 line betw. Sec. 1 & 2

S40 E 10.00 in Sec. 12, T4 N. R. 1 W

S51 E 14.50

S60 E 10.00

S70 E 12.50

S76 E 14.50

N53 E 7.50

N30 E 9.00

N27 E 10.00

N33 E 14.00

N42 E 8.70 to post in the East

boundary T4 N. R. 1 W.

Left N. R. 1 W

Meandering of the Left bank N. River

From the Sycamore on the
Range line betw. Range 1 & 2 W

S30 E 23.50 in Sec. 6, T4 N. R. 1 W

S36 E 19.00

S24 E 20.00 line between Sec. 6 & 7

S56 E 27.00 in Sec. 7, T4 N. R. 1 W

S69 E 17.20

N89 E 11.20 line between Sec. 7 & 8

N89 E 12.00 in Sec. 8, T4 N. R. 1 W

N58 E 14.30

N44 E 17.00 line between Sec. 5 & 8

N24 E 22.30 in Sec. 5.

N14 E 48.30

N10 W 13.50 post in N. boundary

T4N R1W
Meander of Left bank Continued

From post in N. boundary

S34 E 36.00 in Sec 3, brook 25th.

S67 E 16.00

N78 E 18.50 line between Sec. 2 & 3

S81 E 14.50 in Sec. 2, T4N, R1W

S23 E 51.00

S35 E 16.50 line betw. Sec. 11 & 12

*The intersection of the line between
 Sec. 2 & 11 omitted*

S56 E 27.50 in Sec. 12, T4N, R1W

S75 E 33.50

N47 E 17.00

N23 E 22.00

*N45 E 5.20 Corner on the
 2^d Principal Meridian*